

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently amended) A screening method comprising of screening for commonly shared light chains, wherein the method comprises the steps of:
 - (a) providing generating a host secreting the heavy chain of an antibody that binds to a desired antigen;
 - (b) introducing an antibody light chain library into the host of step (a) to cause secretion of phage libraries presenting antibodies composed of the heavy chain and the light chains;
 - (c) selecting a phage library that displays antibodies that bind specifically to the desired antigen of step (a);
 - (d) introducing the phage library selected in step (c) into a host secreting the heavy chain of an antibody that binds to a desired antigen different from the antigen of step (a) to cause secretion of phage libraries presenting antibodies composed of the heavy chains and light chains; and
 - (e) selecting a phage library that displays antibodies that bind specifically to the desired antigen of step (d).
2. (Currently amended) A screening method comprising of screening for commonly shared light chains, wherein the method comprises the steps of:
 - (a) providing generating a host secreting the heavy chain of an antibody that binds to a desired antigen;
 - (b) introducing an antibody light chain library into the host of step (a) to cause secretion of phage libraries presenting antibodies composed of the heavy chain and the light chains;
 - (c) selecting a phage library that displays antibodies that bind specifically to the desired antigen of step (a);

(d) introducing the phage library selected in step (c) into a host secreting a heavy chain comprising an amino acid sequence different from that of the heavy chain of step (a) to cause secretion of phage libraries that display antibodies composed of the heavy chains and light chains; and

(e) selecting a phage library that displays antibodies that bind specifically to the antigen recognized by the heavy chain of step (d).

3. (Currently amended) The method of claim 1, wherein the antibody heavy chains of steps (a) and (d) are both Fd is Fd and the antibody composed of said heavy chains and light chains is Fab.

4. (Previously Presented) The method of claim 1, wherein the host is *E. coli*.

5. (Currently amended) The method of claim 1, wherein steps (b) to (e) are repeated carried out twice or more.

6. (Original) The method of claim 1, wherein the method further comprises the following steps of:

(f) introducing the phage library selected in step (e) into a host secreting the heavy chain of an antibody that binds to a desired antigen different from the antigens of steps (a) and (d) to cause secretion of phage libraries that display antibodies composed of the heavy chains and light chains; and

(g) selecting a phage library that displays antibodies that bind specifically to the desired antigen of step (f).

7. (Original) The method of claim 2, wherein the method further comprises the following steps of:

(f) introducing the phage library selected in step (e) into a host secreting a heavy chain comprising an amino acid sequence different from those of the heavy chains of steps (a) and (d) to cause secretion of phage libraries that display antibodies composed of the heavy chains and light chains; and

(g) selecting a phage library that displays antibodies that bind specifically to the antigen recognized by the heavy chain of step (f).

8. (Withdrawn) A light chain obtained by the method of claim 1.

9. (Withdrawn) An antibody comprising the light chain of claim 8.

10. (Withdrawn) A method for generating antibody light chains, wherein the method comprises the steps of:

(a) selecting an antibody light chain from the screening method of claim 1;

(b) generating a vector capable of expressing the selected light chain based on its genetic sequence;

(c) introducing the vector into a host cell; and

(d) culturing said host cell.

11. (Withdrawn) A host that is infected with a phage capable of presenting a light chain and comprises a vector capable of expressing a heavy chain.

12. (Withdrawn) An *E. coli* that is infected with a phage capable of presenting a light chain and comprises a vector capable of expressing a heavy chain.

13. (Currently amended) The method of claim 2, wherein the antibody heavy chains of steps (a) and (d) are both Fd-is Fd and the antibody—composed of said heavy chains and light chains—is Fab.

14. (Previously presented) The method of claim 2, wherein the host is *E. coli*.
15. (Currently amended) The method of claim 2, wherein steps (b) to (e) are repeated carried out twice or more.
16. (Withdrawn) A light chain obtained by the method of claim 2.
17. (Withdrawn) An antibody comprising the light chain of claim 16.
18. (Withdrawn) A method for generating antibody light chains, wherein the method comprises the steps of:
 - (a) selecting an antibody light chain from the screening method of claim 2;
 - (b) generating a vector capable of expressing the selected light chain based on its genetic sequence;
 - (c) introducing the vector into a host cell; and
 - (d) culturing said host cell.